

BATHROOM ACCESSORIES

D 6 - ~~104~~
559



by

Hoegger


Hoegger

ILLUMINATED CABINETS AND VANITY

FLUORESCENT OR LUMILINE LIGHTING

(Patents 1707013, Reissue 17510, 1738705)

14 Gauge Silver Finished Electrically Welded Steel Cabinets. Chromium Plated Brass Doors Flush with Wall. Stainless Steel Concealed Jack Knife Hinges and Door Stops. Adjustable Chromium Plated Brass Shelf Brackets "A" Quality Mirrors. $\frac{1}{2}$ " Brass Chromium Plated Frames.




ILLUMINATED RECESS CABINETS

Fluorescent or Lumiline Lighting
(Lighting Bulbs Furnished with these Cabinets)

- C-226 Illustrated Above—Also Furnished as Follows
C-221—Illuminated Cabinet, No Side Mirrors.... \$ 70.00
Cabinet 18x24", Overall size 23 $\frac{3}{4}$ x24x4 $\frac{1}{2}$ "
C-224—Illuminated Cabinet with Side Mirrors.... 95.00
Center Mirror 18x24", Side 10x24", Overall size 43 $\frac{3}{4}$ x24x4 $\frac{1}{2}$ "
C-225—Illuminated Mirror with Recess Side Cabinets 105.00
Center Mirror 18x24", Side 10x24", Overall size 43 $\frac{3}{4}$ x24x4 $\frac{1}{2}$ "
Wood Back for Above Three Cabinets.... 10.00
C-226—Illuminated Triple Recess Cabinets..... 120.00
Center Mirror 18x24", Side 10x24", Overall size 43 $\frac{3}{4}$ x24x4 $\frac{1}{2}$ "
Wood Back for above..... 12.00

Installation Drawing on Request




"HOEGGERLITE" RECESS CABINET

(Patents 1868104, 1948111, 1948112)
Fluorescent or Lumiline Lighting
"A" Quality Mirror

Rough Opening 29 $\frac{3}{4}$ x25x4 $\frac{1}{2}$ " Deep
Adjustable Side Wing Illuminated Panels

- C-64-S—Silver Finished Cabinet and Reflectors—No Mitre Lines..... \$130.00
C-60-S—Silver Finished Cabinet—Stainless Steel Reflectors—With or Without Mitre Lines 180.00
C-80-S—Stainless Steel Cabinet and Reflectors—With or Without Mitre Lines..... 250.00
Center 20x26". Mirror Door conceals a 4 $\frac{1}{2}$ " deep Cabinet. Illuminated 5x26" Side Panels, adjustable to any position, giving shadowless light in front of Mirror.


Installation Drawing on Request



FLUORESCENT ILLUMINATED MIRROR LINED VANITY

- C-972—"A" Quality Mirror..... \$200.00
Frame— $\frac{3}{4}$ " Chromium Plated Brass
Bottom Shelf—Pink or Clear Mirror in Chromium Frame—12" Wide. Projection 8 $\frac{1}{4}$ "
Light—20 Watt 110V. A.C. only Fluorescent T12 Lamp
Lamp—Furnished with Vanity
Size—Outside 33 $\frac{3}{4}$ " Wide, 35 $\frac{3}{4}$ " High
Wall Opening—32 $\frac{3}{4}$ " Wide, 34 $\frac{3}{4}$ " High, 4 $\frac{1}{2}$ " Deep
Extend BX Cable 12" through hole in top of back at rear center. Do not fasten cable to back.

Installation Drawing on Request



"PARFAIT" MEDICINE CABINETS "A" Quality Polished Edge Mirrors

Cat. No.	Mirror	Rough Opening	Price
C-50-S	18x27	14 $\frac{1}{4}$ x20 $\frac{1}{4}$ x4 $\frac{1}{2}$	\$100.00
C-51-S	22x32	18 $\frac{1}{4}$ x24 $\frac{1}{4}$ x4 $\frac{1}{2}$	120.00

PATENT OFFICE
MAY - 5 1941
S. H. D.

RECESS MEDICINE CABINETS

Hoegger

(Patents 1707013, Reissue 17510, 1738705)



"PARK AVENUE" RECESS CABINETS
14 gauge Baked Silver Welded Steel Cabinet
Chromium Plated $\frac{1}{2} \times \frac{1}{2} \times .064$ " Door Frame
Flush with Wall No. 1 Quality Mirrors
Concealed Hinges and Door Stops
Adjustable Plate Glass Shelves

Cat. No.	Mirror	Rough Opening	Price
C-272-S	16x22	14 $\frac{1}{4}$ x20 $\frac{1}{4}$ x4 $\frac{1}{2}$	\$27.00
C-271-S	18x24	16 $\frac{1}{4}$ x22 $\frac{1}{4}$ x4 $\frac{1}{2}$	31.00
C-273-S	20x26	18 $\frac{1}{4}$ x24 $\frac{1}{4}$ x4 $\frac{1}{2}$	35.00
C-274-S	24x30	22 $\frac{1}{4}$ x28 $\frac{1}{4}$ x4 $\frac{1}{2}$	42.00

"PARK AVENUE" MEDICINE CABINETS (SURFACE TYPE)
No. 1 Mirrors Same Style as C-272-S above
18 Gauge Silver Finished Case (Inside and Outside)—3 $\frac{1}{2}$ " Deep—Other Depths to Order
 $\frac{1}{4}$ " Chromium Plated Door Frame, Concealed Hinges and Door Stops, Adjustable Brass Shelf Brackets.

C-442—16x22x4" deep.....\$30.00
C-443—20x26x4" deep.....39.00

STAINLESS STEEL RECESS CABINETS 4 $\frac{1}{2}$ " DEEP


For Stainless Steel in place of white enamel cabinets, add the following to the list prices shown.

Cabinet Size	Add to Prices Shown
16x22	\$49.00
20x26	50.00
24x30	60.00
20x60	90.00



20 GAUGE BAKED WHITE ENAMEL WELDED STEEL CABINETS
Chromium Plated $\frac{5}{8} \times \frac{3}{8}$ " Brass Door Frames
Plate Glass Mirrors
1 $\frac{1}{4}$ " Return Flange
2 Fixed Metal Shelves
5" Open Shelf

Cat. No.	Door	Rough Opening	Price
C-260	16x16	14x20x3	\$12.30



20 GAUGE BAKED WHITE ENAMEL WELDED STEEL CABINETS
Chromium Plated $\frac{5}{8} \times \frac{3}{8}$ " Brass Door Frames
Plate Glass Mirrors
1 $\frac{1}{4}$ " Return Flange

Furnished With or Without Lights—For Lights Add "L" to Cat. No.
Adjustable Shelves—2 With C-261—3 With All Others
Switch at Bottom of Left Light
Service Outlet at Bottom of Right Light
Lighting Bulbs Are Not Furnished With Cabinets

Use T-10—40 Watt Bulbs

Cat. No.	Door Size	Rough Opening	Price
C-261	16x20	14x18 x3	\$12.40
C-262	16x22	14x20 x3	14.60
C-262-L	16x22	14x20 $\frac{1}{2}$ x3	28.60
C-263	18x24	16x22 x3	18.50
C-263-L	18x24	16x22 $\frac{1}{2}$ x3	32.50
C-264	20x26	18x24 x3	22.50
C-264-L	20x26	18x24 $\frac{1}{2}$ x3	36.50

Add 6" to width for overall size with lights.


SPECIAL DEPTH CABINETS

SINGLE CABINETS are regularly furnished 3 $\frac{1}{2}$ " and 4 $\frac{1}{2}$ " deep at the prices shown, but can be supplied in the following depths on order.

6"—Add.....	\$10.00
8"—Add.....	15.00
10"—Add.....	20.00
12"—Add.....	25.00



C-911-S DOUBLE SHAVING MIRROR
Plain and Magnifying Mirrors
Adjustable 8" Vertically
Diameter Mirror 9"
Projection 13"
Price, \$30.00



"COLUMADE" CABINET
18 gauge Baked Silver Welded Steel Cabinet
Chromium Plated Brass Door Columns
Adjustable Plate Glass Shelves
No. 1 "Quality" Mirrors
1 $\frac{1}{4}$ " Return Flange

Cat. No.	Door	Rough Opening	Price
C-68	19x25	16 $\frac{1}{2}$ x22 $\frac{1}{2}$ x3 $\frac{1}{2}$	\$24.00



"PARK AVENUE" RECESS CABINETS
Polished Edge Mirrors
14 gauge Baked Silver Welded Steel Cabinets
Chromium Plated $\frac{1}{2} \times \frac{1}{2} \times .064$ " Door Frame
Flush With Wall
No. 1 Quality Polished Edge Mirrors
Concealed Hinges and Door Stops
Adjustable Plate Glass Shelves


Cat. No.	Mirror	Rough Opening	Price
C-277-S	16x22	14 $\frac{1}{4}$ x20 $\frac{1}{4}$ x4 $\frac{1}{2}$	\$33.00
C-278-S	20x26	18 $\frac{1}{4}$ x24 $\frac{1}{4}$ x4 $\frac{1}{2}$	43.00

"PARK AVENUE" CURVED TOP RECESS CABINETS
Polished Edge Mirrors
Same Style as C-277-S Above

Cat. No.	Mirror	Rough Opening	Price
C-296-S	16x26	14 $\frac{1}{4}$ x20 $\frac{1}{4}$ x4 $\frac{1}{2}$	\$38.00
C-297-S	20x32	18 $\frac{1}{4}$ x24 $\frac{1}{4}$ x4 $\frac{1}{2}$	49.00

Hoegger

MIRRORS, RECESS SHELVES AND CABINETS



RECESS SUPPLY CABINETS AND DRESSING MIRROR

(Pats. 1707013, Reissue 17510, 1738705)
14 Gauge Baked Silver Welded Steel
Cabinets

Chromium Plated $\frac{1}{2}$ " x $\frac{1}{2}$ " x .064" Brass
Door Frame Flush with Wall

Concealed Hinges and Door Stops
Adjustable Plate Glass Shelves

No. 1 Quality Mirrors

Door 20x60"

Rough Opening $18\frac{1}{4}$ " x $58\frac{1}{4}$ " x $4\frac{1}{2}$ "

C-279-S—No Mitre Lines . . . \$ 80.00

C-65-S—(Illustrated) With
Mitre Lines 100.00

SPECIAL DEPTH SUPPLY CABINETS

These cabinets are regularly furnished $4\frac{1}{2}$ " deep, at the prices shown, but can also be supplied in the following depths on order:

6" deep—Add. \$15.00
8" deep—Add. 30.00
10" deep—Add. 45.00
12" deep—Add. 60.00




C-919-S

"No. 1 QUALITY" MIRROR
 $\frac{1}{2}$ " x $\frac{1}{2}$ " x .064" Chromium Plated Brass
Frames, Concealed Hanger

Plain Mirror	Price	Plain Mirror	Price
12x18	\$ 8.50	24x30	\$20.75
14x20	9.75	24x36	23.40
16x22	11.40	24x48	33.50
18x24	13.00	24x60	41.00
20x26	16.00		

HOEGGER PATENTED CONCEALED HANGER

Pats. 1,745,574; 1,908,147



THEFTPROOF HANGERS

If Theftproof Hangers Are Desired
ADD \$1.00 to List Price



DRESSING TABLE BENCH

Chromium Plated Brass Frame
11x19" Sheet

Wyco Seat, Black, White, Green or Ivory.


C-399—18" high \$25.00
Other colors—ADD 3.00



VERTICAL MIRROR LINED RECESS SHELVES

$\frac{3}{4}$ " Chromium Plated Frame


Cat. No.	Outside Size	Exact Opening	Price
C-653	$8\frac{1}{2}$ " x $20\frac{1}{2}$ " x $4\frac{1}{2}$ "	$8\frac{1}{4}$ " x $19\frac{1}{2}$ " x $4\frac{1}{2}$ "	\$30.00
C-654	$8\frac{1}{2}$ " x $24\frac{1}{2}$ " x $4\frac{1}{2}$ "	$8\frac{1}{4}$ " x $23\frac{1}{2}$ " x $4\frac{1}{2}$ "	32.00
C-655	$8\frac{1}{2}$ " x $28\frac{1}{2}$ " x $4\frac{1}{2}$ "	$8\frac{1}{4}$ " x $27\frac{1}{2}$ " x $4\frac{1}{2}$ "	35.00



MIRROR LINED RECESS SHELF

$\frac{3}{4}$ " Chromium Plated Frame

Cat. No.	Outside Size	Exact Opening	Price
C-644	$16\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$15\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	\$23.00
C-645	$20\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$19\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	25.00
C-648	$24\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$23\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	27.00
C-643	$31\frac{1}{2}$ " x $9\frac{1}{2}$ " x $4\frac{1}{2}$ "	$30\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	31.00




RECESS STAINLESS STEEL SHELF

With $\frac{1}{2}$ " Flange and $4\frac{1}{2}$ " Black Glass Shelf in Bottom

Cat. No.	Outside Size	Exact Opening	Price
C-634	$16\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$15\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	\$16.50
C-635	$20\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$19\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	20.00
C-639	$24\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	$23\frac{1}{2}$ " x $8\frac{1}{4}$ " x $4\frac{1}{2}$ "	23.00
C-633	$31\frac{1}{2}$ " x $9\frac{1}{2}$ " x $4\frac{1}{2}$ "	$30\frac{1}{2}$ " x $8\frac{1}{2}$ " x $4\frac{1}{2}$ "	28.00

HOEGGER FLUORESCENT AND LUMILINE LIGHTS

Use Standard GEM Box for Lumiline
Special Box and Installation Instructions Furnished with Fluorescent Lights
BULBS NOT FURNISHED WITH LIGHTS



RECESS CHROMIUM PLATED ELECTRIC HEATER

Fan Operated

110 Volt AC Current Only

The steel wall buck is installed when the wall is erected. Heater buck is placed inside of wall buck and is adjustable to allow grill to fit tightly against wall surface.

Watts, 1300

Grill, 12x12"; Projection, 3/4"

Wall Buck, 10 1/2 x 10 1/2 x 4 1/2" Deep

C-192—\$32.00



HOEGGER LUMILITE

C-21, C-22, C-23

With Rotating Shade

Width, 2 3/8"; Projection, 2 1/4"

Install center of GEM BOX 3 3/8" from side or top of cabinet opening (or 3 3/8" above crown of cabinet.)

Gem Box at Center of Light For Switch on End Cap, Add \$1.00



TUBULAR LIGHT

C-24, C-36, C-37

For Vertical or Horizontal Mounting

Diameter, 3 1/2"; Projection, 3 1/2"

Install center of GEM BOX 4" from side or top of cabinet opening (or 4" above crown of cabinet.)

Gem Box at Center of Light For Switch on End Cap, Add.....\$1.00

KEY TO MODEL NUMBERS


L—Lumilite F—Fluorescent T—Tubular

Model No.	Length or Height	Width and Projection	Lamp Watts	Price No Bulb	Price with Bulb	Extra for switch when specified
C-14-L	24"	2 3/8" x 2 1/4"	60	\$12.00	\$13.80
C-14-F	24"	2 3/8" x 2 1/4"	15	18.00	21.00
C-15-L	24"	2 3/8" x 2 1/4"	60	12.00	13.80
C-15-F	24"	2 3/8" x 2 1/4"	15	18.00	21.00
C-21-L	27"	2 3/8" x 2 1/4"	80	18.00	21.60	\$2.00
C-22-L	15 1/2"	2 3/8" x 2 1/4"	40	9.00	10.80	2.00
C-23-L	21 1/4"	2 3/8" x 2 1/4"	60	10.00	11.80	2.00
C-23-F	21 1/4"	2 3/8" x 2 1/4"	15	16.00	19.00
C-24-T	24"	3 1/2" dia.	16.00	*	1.00
C-36-T	14"	3 1/2" dia.	10.00	*	1.00
C-37-T	8"	3 1/2" dia.	8.00	*	1.00

*Use Standard Pear Shape Bulbs, 40 to 60 Watts.



C-14



C-15


HOEGGER LUMILITES

With Switch and Service Outlet for mounting on Sides of Medicine Cabinet

With Rotating Shade

Width, 2 3/8"; Length, 24"; Projection, 2 1/4"

Install GEM BOX vertically on centers 3 3/8" from side and 1 3/8" from bottom of cabinet opening or on centers 1 1/4" from side and 2 1/4" from bottom of light.



C-624—Adjustable Bath Tub Tray Only, Brass Chrome Plated.....\$24.00

With Hinged Mirror in Stainless Steel Frame and Back, and Stainless Steel Book Shelf—ADD.....15.50

Adjustable Soap Holder—ADD.....4.00

With Adjustable Cigarette Holder and Ash Tray—ADD....6.00

Above complete.....49.50




C-551—TOWEL HORSE

Height 30"; Width 7"

24" Long.....\$20.80

30" Long.....25



Hoegger

FORGED BRASS "TYTESET" ACCESSORIES

(Patents 1636364—1773815—1962739—1997686)

YOUR CHOICE OF FIVE WALL FLANGE DESIGNS



C-8-H



C-8-T

For "Square" Design (Below) Specify "Y"

For "Hexagon" Design (Left) Specify "H"

For "Round" Design (Left) Specify "T"

For "Shield" Design (Right) Specify "F"

For "Manhattan" Design (Right) Specify "M"




C-8-F




C-8-M

METHOD OF INSTALLING TYTESET ACCESSORIES

Fasten concealed mounting plate to wall (Fig. 1). Place wall shield over stud (Fig. 2). Attach fixture to stud with concealed setscrew (Fig. 3), which draws three pieces together.



SPRING LIP SHELF BRACKET (Patent 1779236)



Front spring lip sets against edge of glass shelf holding it rigidly in place under rear lip.



preferably after room is

ANKER-IN (SA) TYPE PLATE

Installing Directions

Cut hole in wall $\frac{3}{4}$ " in diameter $1\frac{1}{2}$ " deep for short anchor plate, used on tile or marble walls, and $2\frac{1}{2}$ " deep for long anchor plates used on cement, plaster or glass walls. Fill hole with plaster of paris, placing some on anchor, and insert with screw holes level horizontally. Hold until set—a few seconds.

Important: Fixtures should not be put on plates for at least one hour or decorated and ready for occupancy.



SINGLE HOOK
C-4-Y \$1.05



DOUBLE HOOK
C-8-Y \$1.40



C-600-Y— $\frac{5}{16}$ "x5" CRYSTAL OR BLACK GLASS SHELF
(Spring Brackets, Patent 1779236)

Crystal Shelf.....18"	\$5.10	24"	\$5.30	30"	\$5.70
Black Shelf.....18"	6.50	24"	7.30	30"	8.30



TOOTH BRUSH HOLDER
C-813-Y \$1.75



METAL SOAP HOLDER
C-717-Y \$3.00



TUMBLER HOLDER
C-801-Y \$3.00



TUMBLER AND TOOTH BRUSH HOLDER
C-815-Y \$2.40



C-505-Y— $\frac{3}{4}$ " SQUARE TOWEL BAR

Chromium Metal Bar.....18"	\$3.80	24"	\$4.20	30"	\$4.60
Crystal Drawn Glass Bar....18"	4.70	24"	5.20	30"	5.60
Black Drawn Glass Bar.....18"	4.90	24"	5.40	30"	5.80



C-525-Y— $\frac{1}{2}$ " DIA. TOWEL BAR

Chromium Metal Bar.....18"	\$3.80	24"	\$4.10	30"	\$4.40
Crystal Glass Bar.....18"	3.80	24"	4.10	30"	4.40
Black Glass Bar.....18"	4.35	24"	4.70	30"	5.00



C-704-Y SOAP HOLDER
Dish size, $6\frac{1}{4}$ "x5x2"
Crystal.....\$3.25
Black.....3.25
For drainhole, add .50



SWING TOWEL BAR
Bars— $\frac{3}{8}$ "x12 $\frac{1}{4}$ " Overall
C-540-Y—\$5.30




C-530— $\frac{3}{8}$ "x $\frac{1}{4}$ " METAL TOWEL BAR
Wall flange, $\frac{3}{4}$ "x2"; Projection, 2 $\frac{1}{4}$ "
12" \$1.40, 18" \$1.70, 24" \$2.25, 30" \$2.70



METAL SOAP HOLDER AND $\frac{3}{4}$ " SQUARE GRAB BAR
Soap at right if specified
C-C Posts, 9"
C-7-Y—\$6.00



C-523-Y— $\frac{1}{2}$ " DIA. x 9" GRAB BAR
Chromium Brass Bar.....\$3.45
Crystal Glass Bar.....3.45
Black Glass Bar.....3.85



C-859-Y—PAPER HOLDER
C-C of Posts, 6"
Wooden Roller.....\$2.90
Metal Roller.....3.70

RECESS AND FORGED BRASS ACCESSORIES

Hoegger

MAY - 5 1941

Design Division

RECESS BRASS ACCESSORIES

Drawn in one piece from .040" brass—chromium plated. Designed to be cemented in wall—no buck required.


OUTSIDE SIZE $7\frac{1}{4} \times 7\frac{1}{4}$ "—LEAVE EXACT OPENING $6 \times 6 \times \frac{1}{8}$ " DEEP




C-168-S
TUMBLER HOLDER
Price \$3.40
(Without Tumbler)




C-169-S
TUMBLER AND TOOTHBRUSH HOLDER
Price \$4.55
(Without Tumbler)



C-167-S
SOAP and GRAB BAR
Projection 2"
Price \$5.20



C-163-S
SOAP HOLDER
Price \$3.55



C-162-S
PAPER HOLDER
Wooden Roller . . . \$4.10
Metal Roller 4.90



COAT AND HAT HOOK
C-13-S—\$2.40




STROP OR BAG HOOK
C-2-S—\$0.90



TOOTHBRUSH HOLDER
C-813-S—\$2.65



TUMBLER AND TOOTHBRUSH HOLDER
C-811-S—\$4.10



SOAP HOLDER
Dish size, $6 \times 3\frac{1}{2} \times 1$ "
C-711-S—\$4.50

SOAP HOLDER
(Same as above only to fit over rim of tub)
C-708—\$4.00



Spring Brackets, (Patent 1779236); Projection, $5\frac{1}{4}$ "
C-602-S— $\frac{1}{8} \times 5$ " Crystal or Black Glass Shelf
Crystal Shelf 18" \$6.00 24" \$6.40 30" \$6.70
Black Shelf 18" 7.25 24" 7.65 30" 8.05

C-600-S— $\frac{1}{8} \times 5$ " Crystal or Black Glass or Stainless Steel Shelf
Crystal Shelf 18" \$ 8.15 24" \$ 9.15 30" \$10.15 36" \$11.15
Black Shelf 18" 9.15 24" 10.15 30" 11.15 36" 12.15
Stainless Steel 18" 9.60 24" 11.10 30" 12.60 36" 14.10



C-510-S— $\frac{1}{2} \times \frac{3}{4}$ " RECTANGULAR ALL METAL TOWEL BAR
(U. S. Patent 1773815)
Projection, 3"
"Crodon", 18" \$3.10 24" \$3.60 30" \$4.00



C-509-S—1" ROUND TOWEL BAR
Projection, $3\frac{1}{4}$ "
Chromium Metal Bar . . . 18" \$4.50 24" \$4.85 30" \$5.20 36" \$5.55
Crystal Glass Bar 18" 4.30 24" 4.50 30" 4.70 36" 4.90
Black Glass Bar 18" 4.80 24" 5.10 30" 5.40 36" 5.70



C-506-S— $\frac{3}{4}$ " SQUARE TOWEL BAR
Projection, $3\frac{1}{2}$ "
Chromium Metal Bar . . . 18" \$4.75 24" \$5.15 30" \$5.55 36" \$5.95

DRAWN GLASS BARS
Crystal Glass Bar 18" \$5.35 24" \$5.70 30" \$6.05 36" \$6.40
Black Glass Bar 18" 5.65 24" 6.00 30" 6.35 36" 6.70

CUT AND POLISHED GLASS BARS
Crystal Glass Bar . . . 18" \$6.80 24" \$7.95 30" \$9.10 36" \$10.25
Black Glass Bar 18" 6.80 24" 7.95 30" 9.10 36" 10.25



METAL SOAP HOLDER
Dish size, $4\frac{1}{4} \times 3\frac{1}{8} \times 1\frac{3}{8}$ "
C-717-S—\$3.65




METAL SOAP DISH
Rubber Tipped Feet
Size, $4\frac{1}{4} \times 3\frac{1}{8} \times 1\frac{3}{8}$ "
C-707—\$3.50



DOUBLE ROBE HOOK
C-8-S—\$2.00



STROP OR BAG HOOK
C-4-S—\$1.25



TUMBLER HOLDER
C-801-S—\$3.50



C-704-S—SOAP HOLDER
Dish size, $6\frac{1}{4} \times 5 \times 2$ "
Crystal—\$3.95
Black— 3.95
For drain hole—add \$0.50

C-715-S—TUB SOAP HOLDER
Same Style as C-704-S Above
Dish size, $7\frac{1}{4} \times 5\frac{3}{4} \times 2$ "
Crystal—\$4.70
Black— 4.70
For drain hole—add \$0.50

Hoegger


FORGED BRASS ACCESSORIES



TOWEL PIN
Projection $3\frac{3}{4}$ "
C-514-S—\$2.50




CHASED ROSETTE
Chromium Plated Brass Rosette
and $1\frac{1}{4}$ " No. 8 Wood Screw
C-301—\$0.50



C-516-S—1" GRAB BAR
Projection, $2\frac{3}{4}$ "
Chromium Metal Bar...6" \$3.70, 9" \$3.85
Crystal Glass Bar...6" 3.70, 9" 3.85
Black Glass Bar...6" 3.80, 9" 3.95




SWING TOWEL BAR
Diameter of Bars $\frac{5}{16}$ "
C-534-S—16" overall \$8.50
C-535-S—20" overall 9.00




SOILED TOWEL BASKET
Solid Bottom 11" Dia.
Top 12" Dia., Height 18"
C-554—\$21.00


(Patent 1636364)



METAL TOWEL SHELF
Length overall, $26\frac{1}{4}$ "; Projection, $8\frac{1}{2}$ "
C-618-S—\$13.80



C-528—ANNEX TOWEL RACK
(U. S. Patent 2024892)
Price does not include Towel Bar
TWO EXTRA TOWEL BARS ADDED TO YOUR PRESENT ONE
For 18" Towel Bar \$3.75, 24" \$4.25, 30" \$4.75



C-536-S—1 1/4" GRAB BAR
Chromium Metal Bar...9" \$4.25 12" \$4.55 18" \$4.85 24" \$5.15
Crystal Glass Bar...9" 5.30 12" 5.85 18" 6.95 24" 8.05
Black Glass Bar...9" 5.85 12" 6.55 18" 7.95 24" 9.35

C-518-S—1 1/2" GRAB BAR

Same Style as C-536-S Above

Chromium Metal Bar...9" \$6.25 12" \$6.60 18" \$ 7.00 24" \$ 7.50
Crystal Glass Bar...9" 7.80 12" 8.50 18" 9.90 24" 11.30
Black Glass Bar...9" 8.30 12" 9.20 18" 11.00 24" 12.80



"LATHURN" LATHER
Leakproof Soap Dispenser Produces
Creamy Lather from Any Liquid Soap
C-720—\$6.50



**TENSION SPRING
ROLL TOILET PAPER HOLDER**
(Patent 1665739)
Holder shown in open position
Wall Flange $2\frac{1}{4}$ "; Width 8"
C-862-S—\$6.00

**TENSION SPRING
ROLL PAPER TOWEL HOLDER**
Same Style as C-862-S above
Wall flange, $2\frac{1}{4}$ "; Width, 15"
Made with same features as C-862-S above.
Takes standard rolls of paper towels
C-863-S—\$10.00




**ROBE OR BAG
HOOK**
Projection, $3\frac{3}{4}$ "
C-10-S—\$1.90



"STAR" ROSETTE
Chromium Plated Brass Rosette
and $1\frac{1}{4}$ " No. 8 Wood Screw
C-302—\$0.50



ROLL PAPER HOLDER
Width, $8\frac{1}{2}$ "
C-C of Posts, 6"
C-856-S—\$5.00



**RECESS TOILET
PAPER BOX**
Chromium Plated Brass
Use 5x7" sheet paper
Exact Opening:
 $5\frac{1}{8}$ " Wide, $8\frac{1}{8}$ " High
 $2\frac{3}{4}$ " Deep
C-183-S—\$15.00



SOILED TOWEL BASKET
Width $12\frac{3}{4}$ "; Height 16"
Projection $7\frac{1}{2}$ "
C-553-S—\$20.00


SHOWER CURTAIN AND DRAPERY TRACK

Hoegger

HOEGGER'S SHOWER CURTAIN TRACK

(Patent 2049061—Other Patents Pending)
To Be Used with Overlapping Curtain

Illustration is a view from rear



A double track permits the curtains to overlap 6" when closed. The track curtain hooks and grommets are completely concealed by a chrome plated apron.

The curtains may be operated by hand or with pull cords.

The wall channels hold a welt formed on the wall edges of the curtains thereby making a watertight compartment.

FOR RECESS TUBS

(Use two curtains 4½ ft. by 6 ft. high)
66 in. track complete with hooks, two C-331 Wall Channels and Hold Back Chains.

C-347—No Pull Cords.....\$24.50

C-346—With Pull Cords..... 28.00

Without Apron for Direct Ceiling Mounting Deduct..... 6.00

FOR CORNER TUBS

(Use two curtains 6 ft. by 6 ft. high)
25 in. by 66 in. Track Complete with Hooks, two C-331 Wall Channels and Hold Back Chains.

C-349—No Pull Cords.....\$35.25

C-348—With Pull Cords..... 38.75

Without Apron for Direct Ceiling Mounting Deduct..... 11.00


WALL CHANNEL

For holding edge of curtain tightly against the wall. Sew a cotton cord in back edge of curtain to form a ¼" welt to insert into the wall channel.

Wall Channel Only—48" long complete with Hold Back Chain and Hook.

C-331—Chromium Plated Brass, each.....\$3.50

C-335—Aluminum, each..... 1.50



CURTAIN HOLD BACK CHANNEL

(Patent 2049061)

Showing edge of curtain with cord sewed in edge to form a ¼" welt, and section of channel in which curtain welt is inserted.

HOEGGER'S DRAPERY TRACK


(Furnished with 4 Sliding Pins Per Foot)

STRAIGHT TRACK — SINGLE OR DOUBLE

Track furnished with or without pull cords, also to fit between casings or on the face of casings. Can be used without valance box as track is only ⅜" deep.

CURVED TRACK — SINGLE OR DOUBLE

Curved track, with or without pull cords is an exclusive Hoegger feature. The hooks will not jamb. Curved to fit inside and follow the general curvature of any bay window required.



STRAIGHT TRACK SINGLE OR DOUBLE

DRAPERY TRACK

WITHOUT PULL CORDS OR ADJUSTABLE END BRACKETS
With 4 Sliding Pins per ft.

WITH PULL CORDS AND ADJUSTABLE END BRACKETS
With 4 Sliding Pins per ft.

Single Track

C-316—Aluminum, per ft.....\$0.40

C-317—Chrome on Brass, per ft..... .90

C-323—Chrome on Brass, First foot....\$3.50

For Additional Ft., Add..... 1.15

Double Track

C-314—Aluminum.....\$0.80

C-315—Chromium Brass..... 1.80

C-326—Chrome on Brass, First foot....\$9.00

Each Additional Foot, Add..... 2.30

Single Curved Track

C-358—Chrome on Brass, First Foot....\$2.30

Each Additional Foot, Add..... 1.35

C-359—Chrome on Brass, First Foot....\$4.25

Each Additional Foot, Add..... 1.45

Double Curved Track

C-341—Chrome on Brass, First Foot....\$4.20

Each Additional Foot, Add..... 2.50

C-342—Chrome on Brass, First Foot....\$9.20

Each Additional Foot, Add..... 2.90

ADJUSTABLE END BRACKETS

C-319—(For use with C-316 and C-317)—per pair.....\$0.50

C-342—(For use with C-314 and C-315)—per pair..... 1.00

INTERMEDIATE CEILING SUPPORTS



*For use with spans of more than 24 in. or on 12 in. center with heavy draperies:

C-325—For Single Track, each.. \$0.15

C-344—For Double Track, each.. .25

TWO PLAN CONDITIONS FOR CURVED TRACKS

Single or double track, with or without pull cords is furnished to fit inside or on the surface of the window casing. An exclusive feature is a single or double curved track to fit inside and follow the general curvature of any bay window.



HOEGGER Garment Carriers are made of solid brass, finished in non-tarnishable Chromium Plate. They are of sturdy construction and exemplify HOEGGER workmanship.

(For Other Applications, See Page 9.)

RETURN TO DESIGN DIV.

HOEGGER TRAVERSE CLOTHES HANGER TRACKS

Pat. No. 2049061—Other Patents Pending

Stock Lengths — 10-14 ft.



No. 391—Aluminum Tracks.....\$0.25 per ft.

No. C-392—Brass Chrome Plated......75 per ft.

Cutting Tracks in lengths.....\$0.10 per cut net

No. 325—Ceiling Bracket.....\$0.15 each


No. 306—Runners with $\frac{1}{2}$ " Rings......15 each



SOLID BRASS $\frac{1}{2}$ x $\frac{1}{4}$ " 20 GAUGE RECTANGULAR CLOTHES POLE AND FITTINGS

C-371— $\frac{1}{2}$ x $\frac{1}{4}$ " Tubing, per ft.....	\$0.80
C-372—Wall Supports, per pair.....	.40
C-373—Center, each.....	1.60
C-374—Corner, each.....	2.25
C-188—End, each.....	1.60


Note: Center brackets are only required for spans over 4 ft.



SOLID BRASS 1" ROUND CLOTHES POLE AND FITTINGS

1" Tubing (C-366—20 gauge, per ft.....)	\$0.90
C-367—16 gauge, per ft.....	1.00
C-364—Wall Supports, per pair.....	1.20
C-368—End, each.....	1.30
C-369—Center, each.....	1.35
C-370—Corner, each.....	1.35
C-379—Center, each.....	.90

Note: Center brackets are only required for spans over 4 ft.



1" ROUND CLOTHES POLE WITH HAT HOLDERS


C-363—1" Tubing, drilled, per ft.....	\$1.20
C-364—Wall Supports, per pair.....	1.20
C-365—Hat Holder Pins, each.....	1.50



C-361—SOLID BRASS TIE RACK (20 Gauge)—(Length over all)

20" long.....	\$1.90
24" long.....	\$2.25

Other lengths furnished on order.



C-375—SOLID BRASS SHOE RACK

Wall Flange 1x7"

(20 Gauge)—(Length over all)

18" long.....	\$3.75
22" long.....	4.10
24" long.....	\$4.30
30" long.....	4.90

Other lengths furnished on order.




C-376—SHOE RACK, EXTENDS ACROSS CLOSET

Price, 12" long.....	\$3.20
Each additional inch.....	.05

Maximum length, 36"

Important—When ordering give exact distance between finished walls.

BRASS CHROMIUM PLATED HOOKS



CLOTHES HANGER PIN
(Exposed Mounting Screws)
Wall Flange, $2\frac{1}{4}$ x $5\frac{1}{4}$ "
Projection, 10"
C-380—\$2.50




CLOTHES HANGER PIN
(Exposed Mounting Screws)
Wall Flange, $2\frac{1}{4}$ x $2\frac{3}{4}$ "
Projection, 10"
C-386—\$1.50



C-10—\$0.50



C-9—\$0.70



C-6—\$0.70



C-12—\$1.00

RETURN TO

MAY - 5 1941

DESIGN DIV.

HOEGGER surface applied accessories consist essentially of two parts, the fixture proper and the solid brass concealed back plates. The back plates are made in several types to facilitate mounting on the various kinds of wall construction. The fixture is rigidly secured to the back plate by a single concealed set screw which is readily furnished slotted for screw driver, but where fixtures are used in public places, a special theft-proof set screw will be furnished when specified.

Advantages of HOEGGER Concealed Plate type mounting are:

- (1) They are easily and quickly installed in any type of wall construction.
- (2) The back plates may be shipped to the job and installed in advance, as the fixtures are not attached until the rooms are completely decorated, thus eliminating any possible loss from theft or injury.
- (3) Fixtures may be easily removed whenever it is necessary to redecorate the room.
- (4) Due to the construction of the patented back plate post the fixture is forced tightly against the wall surface when set screw is tightened, thus assuring a neat, tight-fitting assembly that will not work loose.

HOEGGER Concealed Back Plates are made in several types to meet the various conditions in wall construction.

"S" Type—(Supplied with fixtures.) Can be mounted on any type of wall. This is our regular plate and is shipped with all fixtures unless otherwise specified.

"SA" Type—(Supplied with fixtures.) "Anker-in" plate set in wall with plaster of paris. Anchors made in two lengths—1 $\frac{1}{4}$ in. long for tile or marble walls and 2 $\frac{1}{4}$ in. long for cement or plaster walls.

"B" Type—Wall anchor bar—made for new work only where tile or glass walls are erected. The brass lugs drilled to receive the regular "S" plates are mounted on a $\frac{1}{2}$ x 1 in. galvanized bar which is placed in the wall during its erection.

All fixtures except 513 and 518 are interchangeable on all HOEGGER back plates.

INSTALLING DIRECTIONS FOR HOEGGER CONCEALED PLATES

(Patent No. 1636364)

All HOEGGER Concealed Plates are mounted so that lug is on top (Fig. 1). This lug fits in a recess and keeps the fixture from turning on the concealed plates.

Where fixtures require two concealed plates, as towel and grab bars, carefully measure center to center distance of plates from assembled fixture.

Note: Where conditions warrant, a templet will be furnished for all double plate fixtures.

IMPORTANT WHEN ORDERING

If Anker-in type of wall fastening is wanted add "A" to the letter already following the catalogue number and designate the length of anchor required. If concealed screw type is wanted use the catalogue number as shown.





Fig. 1 A



CONCEALED SCREW (S) TYPE PLATE

Installing Directions

On Wood—Use inclosed wood screws.

On Tile—Use inclosed wood screws and lead shields.


On Plaster—Use inclosed wood screws with rawl plugs or toggle bolts.

Note: Plate may be fastened by top screw only, fixture put on and adjusted as required, then fixture carefully removed and hole drilled for bottom screw.



Left:

"S" Type Plate Mounted on Marble with Chromium Plated Buttons and Screw



Right:

"S" Type Plates Mounted Back to Back on Marble with Sleeves and Screws


ANKER-IN (SA) TYPE PLATE

Installing Directions

Cut hole in wall $\frac{3}{4}$ in. in diameter, 1 $\frac{1}{2}$ in. deep for short anchor plates used on tile or marble walls, and 2 $\frac{1}{2}$ in. deep for long anchor plates used on cement, plaster or glass walls. Fill hole with plaster of paris, placing some on anchor, and insert with lug at top (Fig. 1). Hold until set—a few seconds.

Important: Fixtures should not be put on plates for at least one hour or preferably after room is decorated and ready for occupancy.

WALL ANCHOR BAR USED FOR MOUNTING DOUBLE POST FIXTURE



This type of wall anchorage was developed for large installations such as hotels, office buildings, apartments, schools, etc.

Can be used on new work only, as bars must be installed as tile wall is laid.

In addition to spacing for double post fixtures they assure that the fixtures will be level as the bars are placed on top of a course of tile nearest the proper height.


Always specify tile thickness when ordering Wall Anchor Bars.

Important When Installing Wall Anchor Bars—Brass lugs must not extend beyond tile surface.

"B" WALL ANCHOR BAR
Phantom view showing relative position of bar and wall construction.



SUGGESTED PLACEMENTS FOR HOEGGER BATHROOM ACCESSORIES



BATHROOM ACCESSORIES

There is no substitute for Hoegger Quality

HOEGGER INCORPORATED

JERSEY CITY, N. J.

MAIN OFFICE AND FACTORY, JERSEY CITY, N. J.

NEW YORK, N. Y.
PHILADELPHIA, PA.
BOSTON, MASS.
WASHINGTON, D. C.

STAMFORD, CONN.
CHICAGO, ILL.
DETROIT, MICH.
DENVER, COLO.

MIAMI, FLA.
ATLANTA, GA.
CLEVELAND, OHIO
PITTSBURGH, PA.